

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4	("6407576"."6777978").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 06:39
S2	52258	look-up adj table\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 08:45
S3	793	(first 1st) adj S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 07:52
S4	864	(second 2nd) adj S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 07:54
S5	209	S3 near7 S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 07:58
S6	16	S5 same power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 07:58
S7	5	S6 same voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 08:01
S8	3275	713/300,320.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 07:56

EAST Search History

S9	0	S7 and S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 08:01
S10	494	S3 same S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 07:58
S11	46	S10 same power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 07:58
S12	17	S11 same voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 08:14
S13	5	S7 and S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 08:04
S14	0	S8 and S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 08:04
S15	0	(rotat\$4 adjust\$4 switch\$4 configur\$4) near3 (input\$1 mapping\$1) near3 S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 08:19
S16	353655	(rotat\$4 adjust\$4 switch\$4 configur\$4) near3 (input\$1 mapping\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 08:19

EAST Search History

S17	117	S16 with (minimiz\$7 near3 power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 08:23
S18	1	S17 and S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 08:20
S19	0	S17 same ((FET\$1 transistor\$1) near3 leak\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 08:28
S20	13	S17 same (FET\$1 transistor\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 08:25
S21	13003	((FET\$1 transistor\$1) near3 leak\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 08:28
S22	1655	S21 near5 (minimiz\$4 stop\$4 prevent\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 08:29
S23	25	S22 same (minimiz\$4 near3 power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 08:37
S24	276	((programmable adj logic adj device\$1) PLD\$1) with S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 08:46

EAST Search History

S25	1	S24 with ((reduc\$4 minimiz\$4) near3 power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 08:47
S26	96882	(look-up adj table\$1) LUT\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 08:46
S27	379	((programmable adj logic adj device\$1) PLD\$1) with S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 08:46
S28	1	S27 and S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 08:47
S29	2	S27 with ((reduc\$4 minimiz\$4) near3 power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 08:51
S30	103408	(current near3 leak\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 08:52
S31	9535	S30 near3 (FET\$1 transistor\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 08:52
S32	2087	(reduc\$4 stop\$4 minimiz\$4) near3 S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 08:53

EAST Search History

S33	78	S32 with ((reduc\$4 minimiz\$4) near3 (power near3 (usage consumption)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 09:01
S34	0	S33 and S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 09:01
S35	1	S33 same ((programmable adj logic adj device\$1) PLD\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 09:03
S36	342871	(vary\$4 chang\$4 adjust\$4) near3 voltage\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 14:10
S37	794	S36 same ((reduc\$4 minimiz\$4) near3 leakage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 14:10
S38	2	S37 same (LUT\$1 (look-up adj table\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 14:15
S39	56	S37 same ((drain source) adj voltage\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 14:50
S40	29577	FPGA\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 14:51

EAST Search History

S41	163	S40 same leakage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 14:51
S42	58	S41 same transistor\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 14:51
S43	0	S42 same LUT\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 14:52
S44	40	S42 same voltage\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 14:52
S45	11	S44 same (vary\$4 chang\$4 adjust\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 16:51
S46	52258	look-up adj table\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 16:33
S47	793	(first 1st) adj S46	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 16:33
S48	864	(second 2nd) adj S46	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 16:33

EAST Search History

S49	209	S47 near7 S48	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 16:33
S50	16	S49 same power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 16:33
S51	103408	(current near3 leak\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 16:48
S52	9535	S51 near3 (FET\$1 transistor\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 16:48
S53	2087	(reduc\$4 stop\$4 minimiz\$4) near3 S52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 16:48
S54	78	S53 with ((reduc\$4 minimiz\$4) near3 (power near3 (usage consumption)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 16:48
S55	101878	consum\$4 near3 power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/05 16:07
S56	13087	S55 near3 less	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/05 16:08

EAST Search History

S57	89	S56 same ((narrow\$4 small\$3) near3 gate\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/05 16:09
S58	389	S56 same ((narrow\$4 small\$3) near3 (logic gate\$1 device\$1 pld\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/05 16:09
S59	6	S56 same ((narrow\$4 small\$3) near3 width\$1 near3 (logic gate\$1 device\$1 pld\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/05 16:12
S60	14	S56 same ((narrow\$4 small\$3) near3 (thickness width\$1) near3 (logic gate\$1 device\$1 pld\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/05 16:21
S61	2	"6215326".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/05 16:42
S62	1	(LUT (look-up adj table)) adj based adj element	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/05 16:45
S63	4	(logic adj element) near3 ((reduc\$3 minimiz\$3) near3 power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/05 16:47
S64	3269	(source drain) adj leakage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/05 16:48

EAST Search History

S65	47	minimiz\$3 near3 S64	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/05 16:49
S66	0	S65 same ((look-up adj table\$1) LUT\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/05 16:50
S67	1	S65 same (minimiz\$3 near3 power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/05 16:51
S68	97	(rotat\$4 switch\$4 revers\$4) near3 input\$1 near3 (logic adj element\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 07:57
S69	0	S68 same (look-up adj table\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 08:10
S70	1	S68 same ((minim\$6 reduc\$6) near3 (leakage power))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 08:04
S71	11	S68 and ((minim\$6 reduc\$6) near3 (leakage power))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 08:05
S72	375	(transistor\$1 FET\$1 CMOS NMOS PMOS) near3 (consum\$4 using uses requir\$4) near3 ((minim\$6 reduc\$6) adj (power leakage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 08:08

EAST Search History

S73	0	S68 same S72	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 08:09
S74	0	S68 and S72	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 08:09
S75	1	S72 same (look-up adj table\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 08:10
S76	6	("7042247" "6980026" "6621325"). pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 06:40
S77	8	("20050146352" "20050174144" "5260611" "5274581" "5481486" "5953537" "6037829" "6215326").PN. OR ("7042247"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/09/07 06:40
S78	3	("5598109" "5701441" "6249144").PN. OR ("6980026"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/09/07 06:43
S79	8	("5448198" "5461338" "5487033" "5661685" "5703522" "5880620").PN. OR ("6621325"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/09/07 06:46